

Club Car®

DRIVEN



**IR** Ingersoll Rand

Ingersoll Rand is a global diversified firm providing products, services and solutions to enhance the quality and comfort of air in homes and buildings, transport and protect food and perishables, secure homes and commercial properties, and increase industrial productivity and efficiency. Driven by a 100-year-old tradition of technological innovation, we enable our customers to create progress and a positive impact in their world.

1.800.CLUBCAR • +1 706.863.3000

[www.clubcar.com](http://www.clubcar.com)

[www.ingersollrand.com](http://www.ingersollrand.com)

01/12 18033399

Please note vehicles contained throughout the brochure may be shown with additional accessories.

**IR** Ingersoll Rand





# D R I V E N



Club Car's® motivation has always pushed beyond simply moving golfers and gear around the course. We vowed long ago to be an essential contributor to our customers' profitability. This commitment has kept Club Car in front of every significant advance in the industry. Now, as ever, your success drives Club Car.





So much more than a simple GPS, Visage™ Mobile Golf Information System heightens the golf experience for players as it maximizes ROI for your operation. A Visage-equipped fleet of Precedents works every day to elevate your operation's stature while improving its bottom line:

**Ma** Manage Assets  
Your course and fleet are your greatest assets. Visage protects both by reducing golf car abuse, accidents and theft; at the same time, it's also looking out for your tees, greens, bunkers and sensitive areas.

**Re** Reduce Expenses  
With Visage guarding your tees, greens, bunkers and sensitive areas, maintenance and repair costs go down. Mowing crews mow rather than move signage and ropes; superintendents orchestrate workers around golfers. Less waiting, more working.

**Ir** Increase Revenues  
Promote and sell higher-ticket items in the grill and pro shop ... speed up pace of play and accommodate more rounds ... invite groups to book their next tee times on the 18th hole—and that's just a taste of how Visage contributes to cash flow.

**De** Deliver Experience  
Once they've tried Visage, golfers never want to play without it. Aside from the precise yardages and available hole flyovers, golfers value the instant contact with the pro shop and grill, and the high-touch service Visage delivers.



Revenues up,  
Overhead down,  
Players happy.

It's Called the  
Club Car® Effect.

## PRECEDENT

Precedent changed the way the industry looks at golf cars. Beyond setting a new standard for refined style and user experience, this flagship model equipped with the Visage™ Mobile Golf Information System forges a new and profitable interaction between you and your customer. You're never out of touch should you want to suggest lunch at the turn, enable a better tournament experience, or ensure guests and assets remain safe and secure. The more you ask of a Visage-equipped Precedent, the more it can do for your operation.

- Visage uses one of the world's most dependable GPS satellite systems to track your fleet and deliver yardages that are spot-on
- Merchandise, repeat rounds, food and beverages, high-ticket cigars and ball sales increase—often dramatically—when players can order right from their Precedents using Visage
- Park your marshal and monitor play from your PC—if a foursome needs to speed up, use Visage to send the message
- Visage protects your course, fleet and customers, and can help reduce the costs of mowing and maintenance
- Visage restricts cars to the areas you prescribe, protecting greens, bunkers and fairways on wet days ... you control your entire fleet with a few clicks from your PC



### Feature-Rich, With A Touch Of Genius

Familiar touch screen technology powers Visage. Golfers take to it immediately, easily navigating through menus to access the information and service features they want. Hole flyover? Book a tee time next weekend? Distance to the back of the green? Interactive scorecard? Grill shop menu? Those features and more are at their fingertips. The system is fully customizable to your course and operation, and the unit itself is robustly built with a high visibility 10" screen (even in bright sunlight). It's also water-tight and completely weatherproof.



## PRECEDENT i2L



The course that makes no compromises needs a golf car that's up to the challenge. The car for that course should have multiple customizable options, outstanding design and ergonomic features, and optimum power plant configurations. A car no less than Precedent i2L.

From a distance the i2L makes a great impression on your customers ... that just keeps getting better the closer they get. That's because you can make the i2L yours with one of the multiple color options and your custom logo right out front on the car's cowl. Ergonomic and style upgrades further distinguish your operation as one that brings the finest golf experiences to your guests.

The Precedent i2L comes standard with all features of the Precedent i2, plus:

- 10-inch aluminum rims
- Soft-grip steering wheel
- Custom logo options on front cowl and accent striping
- Tinted, winged and hinged windshield
- Canopy storage net
- Choice of four standard or four premium colors
- Choice of driver-side and passenger-side accessory
- Choice of premium bag protector (standard) or single point watering system
- Number decals



## PRECEDENT i2



Turning heads since the day it left Club Car's® Augusta assembly line, the i2 set a new standard for styling and performance others are still trying to equal. With its sleek profile and thoughtful ergonomics that intuit the interaction between golfer and car, the i2 changed the industry, and the game.

The i2 equipped with Visage™ Mobile Information System connects course to customer in ways never imagined. With it, you're never out of contact with the car and the golfers. Now you're not just moving golfers and gear safely around the course, you're moving more food and beverage, speeding up play and giving customers tons of reasons to book another round. Underpinning this innovation, as always, is Club Car's legendary build quality. That's the i2—a golf car that can drive your operation to the next level.

- Rustproof, aluminum chassis
- Available in either 48-volt electric powered by six 8-volt batteries or 11.5 hp Kawasaki gas engine
- 360° wraparound bumper combines with 5 mph front- and rear-impact bumpers to help protect the car's frame and body from damage
- Molded-in color gives the car's body panels a deep, rich appearance that lasts season after season
- Monsoon Top™ with built-in drain spouts channels water away from golfers, their clubs and the sweater basket
- Ergo seats—redesigned for a better fit—provide comfort and stability throughout the round
- Redesigned dash and expanded storage make it easy to store and locate personal items (canopy net also available)
- Spacious bagwell with center divider and textured bottom surface
- Internal canopy handles increase comfort and assurance for the driver and passenger
- Flexible cup holders hold a range of cup sizes

	PRECEDENT	
	GASOLINE	ELECTRIC
POWER SOURCE		
ENGINE	351 cc, single cylinder	N/A
TURNING RADIUS	17' 4"	17' 4"
HORSEPOWER	11.5 @ 3,600 rpm, exceeds SAE J1940 Performance Standards	3.3 hp
GOVERNOR GUARD	Yes	N/A
BATTERIES	12-volt	(6) 8-volt
CHARGER	N/A	48V variable with on-board computer
STEERING	Self-compensating double reduction helical rack & pinion	Self-compensating double reduction helical rack & pinion
FRONT SUSPENSION	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks
BRAKES	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock
BODY AND FINISH	Molded-in color	Molded-in color
TIRES	18 x 8.50-8	18 x 8.50-8
LxWxH	91.5 in (232 cm) x 47.25 in (120 cm) x 68.5 in (174 cm)	91.5 in (232 cm) x 47.25 in (120 cm) x 68.5 in (174 cm)
WHEELBASE	65.5 in (166.4 cm)	65.5 in (166.4 cm)
GROUND CLEARANCE	4.5 in (11.4 cm)	4.5 in (11.4 cm)
FUEL TANK CAPACITY	6.7 gal (25.4 L)	N/A
TREAD-FRONT & REAR	34.5 in/38.5 in (87.6 cm/97.8 cm)	34.5 in/38.5 in (87.6 cm/97.8 cm)
DRY WEIGHT LESS BATTERIES	606 lb (274.9 kg)	495 lb (224.5 kg)
FLOOR HEIGHT	12 in (30.5 cm)	12 in (30.5 cm)
FRAME TYPE	Ladder-style aluminum box beam	Ladder-style aluminum box beam
KICKPLATE	Yes	Yes
SPEED RANGE	12-15 mph (19.3-24.1 kph)	<ul style="list-style-type: none"> <li>• 7 speed settings: 5-19 mph (8-30.6 kph)</li> <li>• 2 acceleration settings: Aggressive or traditional</li> <li>• 3 pedal-up braking settings: None, mild and aggressive</li> <li>• Speed fine adjustment in 0.1 mph (0.16 kph) increments</li> </ul>
LIMITED WARRANTY*	<ul style="list-style-type: none"> <li>• 4-year: Canopy, pedal group, seats, suspension</li> <li>• 3-year: Body panels, gas and electric powertrains</li> <li>• 2-year: All remaining components</li> <li>• Limited lifetime: Frame</li> </ul>	<ul style="list-style-type: none"> <li>• 4-year: Batteries (20,000 energy units), canopy, electronics, pedal group, seats, suspension</li> <li>• 3-year: Body panels, electric powertrains</li> <li>• 2-year: All remaining components</li> <li>• Limited lifetime: Frame</li> </ul>

\* There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles, and are not equipped for operation on public streets, roads or highways.

PRECEDENT STANDARD COLORS



PRECEDENT CANOPY COLORS



PRECEDENT PREMIUM COLORS


Standard option on Precedent i2L/Optional upgrade on Precedent i2



PRECEDENT UPHOLSTERY COLORS



Premium Hinged Windshield



Sand Trap Rake Kit



Number Decals



Ball and Club Cleaner




Deluxe Towing Package




Fuel Gauge



Battery Capacity Meter



Wheel Covers



Aluminum Wheels (Precedent i2L)



Bag Protector



Info Holders



IQ Display Module



Divot Repair Sand Bottle



Single Point Watering System




Canopy Storage Net



CaddyMaster Cooler



Sand Bucket



Custom Nameplate



Enclosure



Headlights/Taillights



Accent Stripe (Standard on Precedent i2L)


\* For a complete listing of accessories, please contact your local Club Car dealer.



# DS

After 30 years of exceeding the expectations of golfers and course owners worldwide, the DS has earned the distinction “legend.” The DS electric model is powered by Club Car’s® exclusive IQ System™, which allows you to choose performance settings—speed, braking, acceleration, etc.—to complement course conditions. Additionally, the DS features:

- Self-adjusting rack & pinion steering
- 17'6" clearance circle
- Canopy top
- Secure dual bag holder
- Premium tread tires
- Choice of three standard colors: Beige, White or Green



\* There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles, and are not equipped for operation on public streets, roads or highways.

\*\* Headlights, taillights, brake lights, horn and turn signals.

For a complete listing of accessories, please contact your local Club Car dealer.


## DS AVAILABLE COLORS



## DS CANOPY COLORS



## DS UPHOLSTERY COLORS



	DS	
	GASOLINE	ELECTRIC
POWER SOURCE		
ENGINE	286 cc, single cylinder, air-cooled	N/A
TURNING RADIUS	17' 4"	17' 4"
HORSEPOWER	9.5 @ 3,600 rpm, exceeds SAE J1940 Performance Standards	3.2 hp
GOVERNOR	Automatic ground-speed sensing, internally geared-in unitized transaxle	N/A
BATTERIES	12-volt	(6) 8-volt
CHARGER	N/A	48V variable with on-board computer
STEERING	Self-adjusting rack & pinion	Self-adjusting rack & pinion
FRONT SUSPENSION	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks
BRAKES	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock
BODY AND FINISH	Painted TPO	Painted TPO
TIRES	18 x 8.50-8	18 x 8.50-8
LxWxH	91.5 in (232 cm) x 47.25 in (120 cm) x 69 in (175.3 cm)	91.5 in (232 cm) x 47.25 in (120 cm) x 69 in (175.3 cm)
WHEELBASE	65.5 in (166.4 cm)	65.5 in (166.4 cm)
GROUND CLEARANCE	4.5 in (11.4 cm)	4.5 in (11.4 cm)
FUEL TANK CAPACITY	7 gal (26.0 L)	N/A
TREAD-FRONT & REAR	34.5 in/38.5 in (87.6 cm/97.8 cm)	34.5 in/38.5 in (87.6 cm/97.8 cm)
DRY WEIGHT LESS BATTERIES	619 lb (281 kg)	498 lb (226 kg)
SPEED RANGE	12-15 mph (19.3-24.1 kph)	<ul style="list-style-type: none"> <li>• 7 speed settings: 8-19 mph (12.9-30.6 kph)</li> <li>• 2 acceleration settings: Aggressive or traditional</li> <li>• 3 pedal-up braking settings: None, mild and aggressive</li> <li>• 2 pedal-up braking speeds</li> </ul>
LIMITED WARRANTY*	Limited lifetime	Limited lifetime



**Best-In-Class Features  
Up and Down the Line.**

## MOBILE MERCHANDISING

Call them opportunity dollars, the big time potential for revenue beyond what you collect for the round. With customers in your care for five hours, look to Club Car® for the vehicles and technology that make the most of the opportunity.

High-margin items like cigars, golf balls, craft beers and energy drinks can turn a good balance sheet into a great one. Move more of these goods aboard Club Car's smart food and beverage solutions. Inventory rides securely and displays attractively to encourage impulse buying. And with Visage™ Mobile Golf Information System at the golfers' fingertips, these vehicles can go where dispatched rather than "roaming and hoping," saving you man hours, fuel and building good will on top of the added income. That's money.

- Impact-resistant, see-through Lexan® doors allow customers to see and choose cold beverages
- Impact-resistant body with UV protective coating
- Angled snack shelves for enhanced merchandise presentation
- Compartments for consumable ice
- Standard heavy-duty locks on compartment doors
- Lighter cambros for easier lifting
- Blown-in foam insulation provides superior insulation value and longer ice life
- NSF rating and ISO 9001 compliance certification
- Independent front suspension with leaf spring and dual hydraulic shocks
- Industry's best 2-year limited warranty



### **Reaches out to customers, comes back with revenue.**

Interact with your customers throughout their rounds with Visage Mobile Golf Information System. Many successful operations are programming their units to display menus, specific and sale items, and prompt players to call the mobile merchandising car with the touch of a button. Visage keeps your food and beverage car always rolling toward a guaranteed sale rather than burning energy randomly searching for one.





# CAFÉ EXPRESS DELUXE SE

The ultimate merchandising vehicle—scaled to retail a full range of food and beverages, as well as high-margin items, such as cigars, balls and accessories. The more you show, the more you sell. When you're ready to crank up the on-course revenue in a big way, Café Express Deluxe SE to the rescue.

- Hill-mastering 23 horsepower gasoline engine
- NSF rating and ISO 9001 compliance certification
- Electric bed lift with prop-rod
- Green/white stripe soft canopy
- High-impact acrylic windshield
- Electric lift for easy maintenance access
- Common-key locks on all doors and bins
- 3.3 cubic feet of consumable ice storage
- 16.5 cubic feet of cold storage space with in-wall foam insulation
- Two cambros, two drink dispensers and two trash receptacles
- Optional hot box

## CAFÉ EXPRESS DELUXE SE ACCESSORIES



\*\* Exceeds SAE J1940 performance standards.

There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles, and are not equipped for operation on public streets, roads or highways.




# CAFÉ EXPRESS

Find more revenue and profits in a smartly designed package with the Café Express, whose well-laid-out display encourages impulse buying. Insulated compartments are easy to load and keep drinks cold while all your food and beverage stock rides safely and securely.

- Conquer hills fully loaded with an 11.5 horsepower gasoline engine
- Blown-in foam insulation provides superior insulation value and longer ice life
- Reliable 4-wheel, mechanical drum brakes
- Cold storage shelf for temperature sensitive items, such as sandwiches and candy bars
- Ice bins for consumables on both sides of the car
- Locking latches with common-key doors and bins
- High-impact acrylic windshield

## CAFÉ EXPRESS ACCESSORIES



\*\* Exceeds SAE J1940 performance standards.

There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles, and are not equipped for operation on public streets, roads or highways.

CAFÉ EXPRESS DELUXE SE	
ENGINE	Kawasaki® 4-cycle, OHV, 675 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter
HORSEPOWER	23 hp (17.2 kw) @ 3,600 rpm**
GOVERNOR	Automatic ground-speed sensing, internally geared-in unitized transaxle
GOVERNED RPM	2,800 ± 30
IGNITION	Electronic with electronic RPM limiter
DRIVE UNIT	Unitized transaxle, fully synchronized forward/reverse with neutral: 14.9:1 forward, 20.5:1 reverse; reduced speed reverse
BATTERIES	12-volt
KEY- OR PEDAL-START	Key
STEERING	Self-adjusting rack & pinion
FRONT SUSPENSION	Independent double A-arms with coil-over shocks
REAR SUSPENSION	Swing-arm with coil-over shocks
BRAKES	4-wheel, hydraulic disc
PARK BRAKE	Foot-operated
FRAME/CHASSIS	Aluminum I-Beam
BODY (FRONT/REAR)	ABS/DR acrylic cap/All aluminum
LIGHT PACKAGE	Headlights standard
TRAILER HITCH	Standard (front receiver)
FRONT TIRES	205/65-10, 6-ply, road tires
REAR TIRES	205/65-10, 6-ply, road tires
INSTRUMENTATION	Electronic fuel gauge/hour meter, low-oil warning light
BED LOAD SIZE (CARGO BED INSIDE DIMENSIONS)	N/A
BED LOAD HEIGHT	N/A
TOTAL VEHICLE CAPACITY	1,300 lb (589.7 kg)
OVERALL LxWxH	157.6 x 60 x 78.6 in (400.3 x 152.4 x 199.6 cm)
WHEELBASE	120 in (304.8 cm)
DIFFERENTIAL GROUND CLEARANCE	8.0 in (20.3 cm)
FUEL TANK CAPACITY	6.5 gal (24.6 L)
TREAD (FRONT/REAR)	48.8 in (124 cm)/44.5 in (113 cm)
DRY WEIGHT (LESS BATTERIES)	1,475 lb (669 kg)
FORWARD SPEED	Up to 14 mph (22.5 kph)
CURB CLEARANCE CIRCLE	380 in (965.2 cm) dia.
TURNING RADIUS	186 in (472.4 cm)
INTERSECTING AISLE	120 in (304.8 cm)
VEHICLE WARRANTY	2-year/2000-hour, limited

CAFÉ EXPRESS	
ENGINE	Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter
HORSEPOWER	11.5 hp (8.6 kw) @ 3,600 rpm**
GOVERNOR	Automatic ground-speed sensing, internally geared-in unitized transaxle
GOVERNED RPM	3,050 ± 30
IGNITION	Electronic with electronic RPM limiter
DRIVE UNIT	Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse
BATTERIES	12-volt
KEY- OR PEDAL-START	Key
STEERING	Self-adjusting rack & pinion
FRONT SUSPENSION	Independent leaf springs with dual hydraulic shocks
REAR SUSPENSION	Multi-leaf springs with dual hydraulic shocks
BRAKES	4-wheel, mechanical drum
PARK BRAKE	Foot-operated, multi-lock
FRAME/CHASSIS	Aluminum I-Beam
BODY (FRONT/REAR)	ArmorFlex™ TPO/All aluminum
LIGHT PACKAGE	Optional
TRAILER HITCH	Standard
FRONT TIRES	18 x 8.5-8, 6-ply rated, premium tread
REAR TIRES	18 x 8.5-8, 6-ply rated, premium tread
INSTRUMENTATION	Electronic fuel gauge/hour meter, low-oil warning light, reverse warning indicator
BED LOAD SIZE (CARGO BED INSIDE DIMENSIONS)	N/A
BED LOAD HEIGHT	N/A
TOTAL VEHICLE CAPACITY	1,200 lb (544.3 kg)
OVERALL LxWxH	111 x 50 x 72 in (281.9 x 127 x 182.9 cm)
WHEELBASE	77.5 in (196.9 cm)
DIFFERENTIAL GROUND CLEARANCE	4.5 in (11.4 cm)
FUEL TANK CAPACITY	5.1 gal (19.2 L)
TREAD (FRONT/REAR)	34.5 in (87.6 cm)/38.5 in (97.8 cm)
DRY WEIGHT (LESS BATTERIES)	1,134 lb (514.4 kg)
FORWARD SPEED	Up to 14 mph (22.5 kph)
CURB CLEARANCE CIRCLE	296 in (751.8 cm) dia.
TURNING RADIUS	120 in (304.8 cm)
INTERSECTING AISLE	77 in (195.6 cm)
VEHICLE WARRANTY	2-year, limited



## TURF 1 with PRC

For the operation in search of a multi-tasking machine that can out-manuever anything else in its class, the Carryall Turf 1 stands ready to serve. When it's not handling any light-duty job you throw at it, the Carryall Turf 1 can strap on a Portable Refreshment Center and move some merchandise. Choose a gas engine or electric with Club Car's® exclusive IQ System™; either way, you have an energetic partner built for the long haul.

	TURF 1 with PRC unit
ENGINE	Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter*
HORSEPOWER	11.5 hp (8.6 kw) @ 3,600 rpm**
GOVERNOR	Automatic ground-speed sensing, internally geared-in unitized transaxle
GOVERNED RPM	3,050 ± 30
IGNITION	Electronic with electronic RPM limiter
DRIVE UNIT	Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse
BATTERIES	12-volt
KEY- OR PEDAL-START	Pedal
STEERING	Self-adjusting rack & pinion
FRONT SUSPENSION	Independent leaf springs with dual hydraulic shocks
REAR SUSPENSION	Multi-leaf springs with dual hydraulic shocks
BRAKES	Self-adjusting, rear-wheel, mechanical drum
PARK BRAKE	Foot-operated, multi-lock
FRAME/CHASSIS	Aluminum I-Beam
BODY (FRONT/REAR)	ArmorFlex TPO/All aluminum
LIGHT PACKAGE	Optional
TRAILER HITCH	Standard
FRONT TIRES	18 x 8.5-8, 4-ply rated, premium tread
REAR TIRES	18 x 8.5-8, 4-ply rated, premium tread
INSTRUMENTATION	Electronic fuel gauge/hour meter, low-oil warning light
BED LOAD SIZE (CARGO BED INSIDE DIMENSIONS)	37.6 x 45.1 x 9.3 in (9.1 ft³) (95.5 x 114.6 x 23.6 cm)
BED LOAD HEIGHT	27.5 in (69.9 cm)
TOTAL VEHICLE CAPACITY	800 lb (362.9 kg)
OVERALL LxWxH	103.5 x 48 x 48 in (262.9 x 121.9 x 121.9 cm)
WHEELBASE	65.5 in (166.4 cm)
DIFFERENTIAL GROUND CLEARANCE	4.5 in (11.4 cm)
FUEL TANK CAPACITY	5.1 gallons (19.2 L)
TREAD (FRONT/REAR)	34.5 in (87.6 cm)/38.5 in (97.8 cm)
DRY WEIGHT (LESS BATTERIES)	658 lb (298.5 kg)
FORWARD SPEED	Up to 15 mph (24.1 kph)
CURB CLEARANCE CIRCLE	210 in (533.4 cm) dia.
TURNING RADIUS	100.8 in (256 cm)
INTERSECTING AISLE	72 in (182.9 cm)
VEHICLE WARRANTY	2-year, limited

## TURF 2 with PRC

When you want maneuverability with a little added muscle, the Carryall Turf 2 is your go-to guy. This economical yeoman is available in gas engine or electric with the IQ Plus System™, and can handle a variety of maintenance tasks, shouldering a full 1,200 pounds of vehicle capacity. So load up the Portable Refreshment Center and put the Turf 2 to work. It can handle it.

	TURF 2 with PRC unit
ENGINE	Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter*
HORSEPOWER	11.5 hp (8.6 kw) @ 3,600 rpm**
GOVERNOR	Automatic ground-speed sensing, internally geared-in unitized transaxle
GOVERNED RPM	3,170 ± 30
IGNITION	Electronic with electronic RPM limiter
DRIVE UNIT	Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse
BATTERIES	12-volt
KEY- OR PEDAL-START	Pedal
STEERING	Self-adjusting rack & pinion
FRONT SUSPENSION	Independent leaf springs with dual hydraulic shocks
REAR SUSPENSION	Multi-leaf springs with dual hydraulic shocks
BRAKES	4-wheel, mechanical drum
PARK BRAKE	Foot-operated, multi-lock
FRAME/CHASSIS	Aluminum I-Beam
BODY (FRONT/REAR)	ArmorFlex TPO/All aluminum
LIGHT PACKAGE	Headlights standard
TRAILER HITCH	Standard
FRONT TIRES	18 x 8.5-8, 6-ply rated, premium tread
REAR TIRES	18 x 8.5-8, 6-ply rated, extra-traction tread
INSTRUMENTATION	Electronic fuel gauge/hour meter, low-oil warning light
BED LOAD SIZE (CARGO BED INSIDE DIMENSIONS)	48.8 x 49.8 x 10.9 in (15.3 ft³) (124 x 126.5 x 27.7 cm)
BED LOAD HEIGHT	27.5 in (69.9 cm)
TOTAL VEHICLE CAPACITY	1,200 lb (544.3 kg)
OVERALL LxWxH	111 x 50 x 48 in (281.9 x 127 x 121.9 cm)
WHEELBASE	77.5 in (196.9 cm)
DIFFERENTIAL GROUND CLEARANCE	4.5 in (11.4 cm)
FUEL TANK CAPACITY	5.1 gal (19.2 L)
TREAD (FRONT/REAR)	34.5 in (87.6 cm)/38.5 in (97.8 cm)
DRY WEIGHT (LESS BATTERIES)	724 lb (328.7 kg)
FORWARD SPEED	Up to 16 mph (25.7 kph)
CURB CLEARANCE CIRCLE	248.4 in (630.9 cm) dia.
TURNING RADIUS	120 in (304.8 cm)
INTERSECTING AISLE	77 in (195.6 cm)
VEHICLE WARRANTY	2-year, limited

\* Portable Refreshment Center unit not recommended for use with Turf 1 and Turf 2 electric models

\*\* Exceeds SAE J1940 performance standards.

There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles, and are not equipped for operation on public streets, roads or highways.

